

# dermalogica with technology

## getting treatment results

1. What is the goal of the treatment?
2. Which modality will complement the relevant treatment step?
3. Does the product selected work with the technology?



## did you know?

You may not be limited to using one technology in a treatment. Supercharge your service if you can.

## when not to use technology

- Epilepsy
- Pregnancy
- Diabetes
- Metal implants
- Pacemakers/heart conditions

Always refer to Manufacturers guidance on specific contraindications and precautions for each machine. Never leave your client unattended in the treatment room, even if the machine is pre-programmed and fully automated.

## implement

Use skin goals to identify modalities to boost results. Practice working with devices in every treatment to build confidence.

## extend



[click to explore](#)

## reconnect



[click to explore](#)

# selection

**precleanse** - Vacuum suction | Apply to dry face and work over oil. Ultrasonic | Emulsify then work

**all cleansers** - Ultrasonic or hydrodermabrasion | Apply as per standard directions

**daily microfoliant** - Ultrasonic or hydrodermabrasion | Create a creamy paste with very wet hands, and work

**multivitamin power exfoliant** - Indirect high frequency or hydrodermabrasion | Apply full or part ampoule | Lightly massage product over skin with fingertips | Remember double cleanse removal

**exfoliant accelerator 35** - Ultrasonic or hydrodermabrasion | Apply undiluted or mix 1 pump with powder exfoliants | Remember double cleanse removal when used undiluted

**multi-active scaling gel** - Galvanic desincrustation, ultrasonic or microcurrent | Apply with a Fan Masque Brush for extractions | Mix with prescribed cleanser for deep cleanse | Mix with powder exfoliants for deep resurface | Remove with sponges and warm water or customised steam towel

**professional serums** - Galvanic iontophoresis, ultrasonic, microcurrent or LED | Apply almond-sized amount to the face, neck and chest or appropriate zones | Spread lightly | Do not rub | Do not use **Retinol IonActive Serum** or **BioLumin-C PRO Serum** under LED | Do not layer or mix with other serums

**all toners** - Microcurrent | Dip or saturate probes to work | Use for muscle re-education | Keep a small jelly cup handy for re-dipping

**massage gel-cream** - Indirect high frequency | Apply a walnut-sized amount and work with light fingertip movements | Remove with a warm steam towel or sponges

**soothing additive** - Indirect high frequency | Apply 4 drops and press into the skin | Work with light fingertip movements

**conductive masque base** - Ultrasonic, microcurrent, LED | Apply skin specific serum or other targeted treatment followed by 1 tablespoon **Conductive Masque Base** with Fan Masque Brush | Leave for 7-10 minutes to activate | Remove with sponges or steam towel | Can be used around eyes and lips

**colloidal masque base** - Ultrasonic, microcurrent or LED | Apply a smooth layer to clean face and throat | Remove after modality

**multivitamin power recovery masque** - Ultrasonic or microcurrent | Apply a smooth layer to clean face and throat | Remove after modality

**light energy masque** | Apply under LED | Remove with sponges or steam towel

**moisturisers without SPF** - Microcurrent or ultrasonic | Apply and work

## double cleanse



### vacuum suction

- PreCleanse
- Intensive Moisture Cleanser



### ultrasonic

- PreCleanse
- All cleansers
- Multi-Active Scaling Gel

## resurfacing



### hydrodermabrasion

- All cleansers
- Exfoliant Accelerator 35
- MultiVitamin Power Exfoliant
- Multi-Active Scaling Gel
- Multi-Active Toner



### ultrasonic

- Daily Microfoliant
- Multi-Active Scaling Gel
- MultiVitamin Thermofooliant
- MultiVitamin Power Exfoliant
- Exfoliant Accelerator 35

## extractions



### galvanic desincrustation

- Multi-Active Scaling Gel



### microcurrent specific iontophoresis

- Multi-Active Scaling Gel

## touch therapy



### indirect high frequency

- Massage Gel-Cream
- Soothing Additive
- MultiVitamin Power Recovery Masque



### microcurrent muscle re-education

- Multi-Active Toner
- Antioxidant HydraMist
- Conductive Masque Base

## deep treatment



### penetration technologies

- Professional serums
- Conductive Masque Base
- Colloidal Masque Base
- MultiVitamin Power Recovery Masque
- Clinical Oatmeal Masque



### LED

- Light Energy Masque
- Conductive Masque Base
- Colloidal Masque Base
- Niacinamide IonActive Serum
- PowerBright IonActive Serum
- Hyaluronic IonActive Serum

## dermal layering



### microcurrent specific iontophoresis

- Active Moist
- Skin Smoothing Cream
- Intensive Moisture Balance
- Calm Water Gel
- Multi-Active Toner
- Antioxidant HydraMist



### ultrasonic

- Active Moist
- Skin Smoothing Cream
- Intensive Moisture Balance
- Calm Water Gel


# application methods

## brushes

**benefit: deep cleanse with mild exfoliation**

Key steps

1. First cleanse: PreCleanse
2. Perform Face Mapping
3. Second cleanse: prescribed cleanser
4. Apply damp brush to skin
5. Work brush in circular motions




## ultrasonic blade

**benefit: exfoliation or penetration**

Key steps

1. Choose prescribed exfoliant
2. Select exfoliation mode
3. Hold blade at 45° angle
4. Perform exfoliation routine following diagram




## wet microdermabrasion

**benefit: increased level of mechanical exfoliation**

Key steps

1. Choose prescribed exfoliant
2. Select diamond tip
3. Adjust vacuum level
4. Perform exfoliation routine following diagram



## galvanic iontophoresis

**benefit: product penetration**

Key steps

1. Cover negative electrode with damp sponge or gauze and connect to client
2. Attach the working positive electrode/s
3. Apply prescribed professional serum and/or masque
4. Move working electrode/s over skin

